

MANNOL Dexron VI

8207

A universal all-season synthetic transmission fluid (ATF) for automatic gearboxes, hydraulic converters, hydraulic power steering systems, car hydraulic clutches and other hydraulic devices, including the ones operating in heavy-duty conditions in trucks and off-road vehicles. It ensures a flawless operation of an automatic gearbox, guarantees minimal wear, a lasting service life of transmissions and fuel economy. It was developed on the basis of the requirements set by GM and Ford groups.

Product properties:
- The highest-quality low-viscosity synthetic base with a consistent high viscosity index in combination with a multifunctional additive package preserves all its properties in a wide range of temperatures: it ensures good lubricating properties at low (-45 °C and lower) temperatures in winter and ensures a stable oil film under extreme loads and at high temperatures in summer;
- The high-technology combination of additives ensures excellent antifriction properties for gear couplings and superior friction properties for friction elements thus ensuring a significant fuel economy, a continuous, exact and smooth transmission shift in any driving conditions and an extended service life of the automatic gearbox itself and all transmission elements. It ensures a coordinated and smooth operation of clutches. It prevents scuffing;
- It has an exceptional thermal-oxidative and chemical stability and resistance to the high-temperature thermal degradation throughout the entire service life. It allows reducing lacquering, formation of sludge, soot and other carbon deposits, increasing the time between oil changes and ensuring the durability of transmission components thus reducing the equipment maintenance costs;
- It effectively protects metal parts from ferrous and non-ferrous alloys (especially radiators) from corrosion when both in and not in operation; It has a great compatibility with friction coupling materials;
- It effectively resists aeration and foam formation;
- It ensures an excellent compatibility with all sealing materials, prevents them from swelling, hardening and shrinking that allows reducing the costs for spare parts and prevents leakages. It effectively protects fluoroelastomer seals of heavy equipment;
- It reduces noise.

It is recommended for automatic gearboxes of passenger cars requiring the ATF Type Dexron-VI or Dexron-III H/G/F or Dexron-III E or FORD MERCON LV quality oil. It is recommended for use in new 6-speed transmissions of GM, BMW, Land Rover, Jaguar vehicles, as well as 8- and 10-speed transmissions of Aisin vehicles.

Colour: red.

Comply with the manufacturer’s instructions provided in the user’s manual!

Specifications
JASO M315, Class 1-A-LV
Recommendation
AISIN WARNER JWS 3324
AISIN WARNER ATF-0WS
BENTLEY PY112995PA
BENTLEY JNV 862 564 D
ALLISON C2
FORD XT-10-QLV [LV]
ALLISON C4
BOSCH TE-ML 09
FORD XT-6-QSP [SP]
FORD ESP-M2C138-CJ
FORD ESP-M2C166-H
FORD XT-2-QDX [M]
FORD XT-2-QSM [Syn]
FORD XT-5-QM [V]
FORD XT-5-QSM [V Syn]
FORD XT-8-QAW [Premium]
FORD XT-9- QMM5 [FRN5]
FORD WSS-M2C922-A1
FIAT 9.555550-AV5
FORD Mercon LV
GM Type A Suffix A
GM Saturn T-IV Fluid
GM Saturn 22689186
GM Dex [GM 6032M]
GM Dex-B [GM 6032M]
GM Dex-IIC [6137M]
GM ATF Z1
GM Dex-IID [GM 6137M]
GM Dex-IIE [GM 6137M]
GM Dex-IIIF [GM 6297M]
GM Saturn 22717466
GM Dex-IIIG [GM 6417M]
GM Dex-IIIH [GM N10055]
GM 19 40 700
GM 19 40 767
GM 21005966
GM 88900925
GM 9985010
GM 9986195
HYUNDAI 04500-00140
HYUNDAI UM040 CH20 Red-1
HYUNDAI SP
HYUNDAI SP-II
HYUNDAI SP-III
GM Dex-VI [GMW 16444]
HYUNDAI ATF RED-1K
HYUNDAI Genuine ATF
HYUNDAI JWS 3314
HYUNDAI 00232-19023
KIA ATF RED-1K
KIA ATF SP-IV

KIA Genuine ATF
KIA JWS 3314
KIA 00232-19023
KIA 04500-00140
KIA SP
KIA UM040 CH20 Red-1
KIA SP-II
KIA SP-III
GM AW-1
TOYOTA JWS 3309
TOYOTA 08886-81015
TOYOTA Type T, T-II, T-III, T-IV
TOYOTA Type D-II
GM 19256039
GM ATF WS
MB 236.14
MB A 0019892203
MB ATF 3403-M115
MB 236.1
MB 236.10
MB 236.11
MB 236.2
MB 236.5
VOLKSWAGEN LT 71141
VOLKSWAGEN G 052 162 [AG4]
VOLKSWAGEN G 052 990 A2
VOLKSWAGEN G 055 025 A2
VOLKSWAGEN G 055 540 A2
VOLKSWAGEN G 060 162 A2
VOLKSWAGEN G US 000 162
NISSAN Fluid A
NISSAN Matic D
NISSAN Matic J
NISSAN Matic K
NISSAN N402
GM 88863400
BMW ETL-7045
BMW ETL-7045 E
BMW ETL-8072B
BMW LA 2634
BMW LT 71141
BMW 81 22 9 400 272
BMW 81 22 9 400 275
BMW 81 22 9 407 858
BMW 81 22 9 407 859
BMW 83 22 0 024 249
BMW 83 22 0 024 359
BMW 83 22 0 026 922
BMW 83 22 0 402 413
BMW 83 22 0 403 248
BMW 83 22 0 403 249
BMW 83 22 2 220 438
BMW 83 22 2 220 440
BMW 83 22 2 220 442
BMW 83 22 7 542 290
BMW 83 22 9 407 765
BMW 83 22 9 407 807
MINI ATF JWS 3309

MINI 83 22 0 402 413
GM 88863401
HYUNDAI ATF SP-IV
FCA ATF+2
FCA ATF+
FCA ASRC
FCA 68218925AB
FCA 68092912AA
FCA 68043742AA
FCA Dex-VI
FCA 68333587AA
FCA SP-III
FCA Type 7176E
FCA Type 9602
FCA ATF+4
HYUNDAI 040000C90SG
ATF LA 2634
ATF L12108
ATF ETL-7045 E
ATF 3403-M115
ATF 3100 PL085
ATF K17
ATF N402
HYUNDAI SP4-M1
DAIHATSU D3-SP
HYUNDAI SPH-IV
HONDA ATF Z1
HONDA 08200-9001
HONDA 08200-9001A
ISUZU ATF II
ISUZU ATF III
ISUZU Genuine ATF
ISUZU 08200-9001
HYUNDAI SP-IV
JAGUAR JLM 20238
JAGUAR JLM 20292
JAGUAR JLM 21044
JAGUAR K17, Jatco 3100 PL085
JAGUAR LT 71141
JAGUAR WSS-M2C922-A1
HYUNDAI SP-IV-RR
LAND ROVER ATF N402
LAND ROVER JWS3309US
HYUNDAI WS, spec NWS-9638
MAN 339A
MAN 339D
MAN 339F
KIA SP4-M1
KIA SPH-IV
MAZDA ATF M-5, 0000-23-ATF -M5
MAZDA F-1
MAZDA JWS3317
MAZDA M3
MAZDA Type T-IV, JWS 3309
KIA SP-IV-RR
MITSUBISHI ATF-J2
MITSUBISHI Dia Queen AW
MITSUBISHI DII

MITSUBISHI SP, MS991156
MITSUBISHI SP-II
MITSUBISHI SP-III
KIA WS, spec NWS-9638
KIA SP-IV
PEUGEOT Z 000169756
PORSCHE JWS 3309
PORSCHE 000 043 205 28
PORSCHE LT 71141
PORSCHE 000 043 204 63
PORSCHE 000 043 304 00
PORSCHE 999 917 547 00 (A2)
KIA 040000C90SG
PSA AL4 / 4HP20
PSA 9730AE
PSA B71 2340
TOYOTA ATF FZ
TOYOTA ATF WS Lifetime
RENAULT DP-0
RENAULT Matic D2
RENAULT SATF-D
TOYOTA JWS 3324
ROLLS_ROYCE Oil No. PL 31493PA
MB 236.12
SAAB ATF HP
SAAB JWS 3309
SAAB 93 160 393
MB 236.41
SATURN Dex-IIIG
SATURN T-IV Fluid
SATURN 22689186
NISSAN Matic W
SSANGYONG DSIH 5M-52
SSANGYONG DSIH 5M-66
NISSAN 999MP-MTJ00P, 999MP-MTS00P
SUBARU ATF HP
SUBARU K0140Y0700
SUBARU SOA635040
NISSAN Matic S
SUZUKI ATF 2326
SUZUKI ATF 2384K
SUZUKI ATF 3314
SUZUKI ATF 3317
SUZUKI ATF 5D06
SUZUKI Matic D
SUZUKI Matic J
VOLVO 1161640
VOLVO 1161540
VOLKSWAGEN G 052 533
VOLVO 1161521
VOLVO 1161621
ZF LifeguardFluid 5 (ZF No. S671 090 170)
ZF TE-ML 11A
ZF TE-ML 11B
VOLKSWAGEN G 055 005 A2
VOLKSWAGEN G 055 162 A2
BMW ATF 3+
BMW 83 22 0 142 516

MB 236.14
BMW 83 22 0 397 114
BMW 83 22 2 152 426
BMW 83 22 2 163 514
BMW 83 22 2 289 720
BMW 83 22 2 305 396
BMW 83 22 2 305 397
BMW 83 22 2 355 599
BMW 83 22 2 355 601
BMW ATF6
BMW M-L12108
FCA 8 & 9 Speed ATF
FCA 68218925AA
FCA AW-1
FCA 05127382AA
FCA 05127382
FCA 68157995AA
FCA 68157995AB
FCA SP-IV
FCA 68171869AA
FCA 68171866AA
FIAT 9.555550-AV5
ATF M-1375.6
ATF 3353
ATF 134
ATF M-1375.4
HONDA ATF DW-1
HONDA 08200-9008
HONDA ATF Type 3.0
HONDA 08200-9016-A
HONDA ATF Type 3.1
HONDA 08200-9017
ISUZU SCS
JAGUAR 02JDE 26444
JAGUAR Fluid 8432
LAND ROVER AW-1, LR0022460: LV
LAND ROVER TYK500050
LAND ROVER LR023288/LR023289
MASERATI Oil No. 231603
MAZDA ATF FZ, ATF N-1, ATF S-1
MITSUBISHI SP-IV
MITSUBISHI ATF-J3
MITSUBISHI DIA Queen ATF-MA1, MZ320775
MITSUBISHI Dia Queen ATF-PA, 4030401
SAAB 93 165 147
SUBARU ATF-WS
SUZUKI Matic S
VOLVO 31 256 774
VOLVO 31 256 775
ZF LifeguardFluid 6 (ZF No. S671 090 255)
ZF LifeguardFluid 8 (ZF No. S671 090 312)
ZF LifeguardFluid 9 (ZF No. AA01.500.001)
MB 236.15
PORSCHE 000 043 210 54

PACKAGING

1L	MN8207-1	Plastic	20 pcs/box
1000L	MN8207-IBC	Pallet tank	
208L	MN8207-DR	Drum	
60L	MN8207-60	Drum	
20L	MN8207-20	Plastic	
10L	MN8207-10	Plastic	
4L	MN8207-4	Plastic	4 pcs/box