



MANNOL CVT NS-3

8220

Special synthetic transmission oil for continuously variable transmissions with CVTF V-belt variator (Continuously Variable Transmission Fluid). Ensures smooth operation of automatic transmissions, guarantees minimum wear, long transmission life and fuel economy in all operating conditions and modes, with a rigid articulated chain or a steel pull chain.

Product properties:

- A unique high-viscosity synthetic base of the finest quality with a consistently high viscosity index in combination with a multifunctional additive package maintains all its properties in a wide temperature range: provides good lubricating properties at low (-45 °C and below) temperatures in winter and provides a stable oil film at extreme loads and high temperatures in summer;
- The high-tech combination of additives provides unrivalled friction stability for the belt, resulting in significant fuel savings, perfectly smooth gear changes and extended life of all transmission components through excellent lubrication properties;
- Provides excellent compatibility with seal materials, prevents them from swelling, curing and shrinking, thus reducing replacement part costs and preventing leaks;
- It has enhanced thermal and chemical stability and resistance to high-temperature thermal degradation throughout its service life. This reduces sludge, varnish, soot and other carbon deposits, significantly extends oil change intervals and ensures durability of transmission components, thereby reducing maintenance costs;
- The addition of special inhibitors effectively protects metal parts made of ferrous and non-ferrous alloys against corrosion, both when in use and when not in use;
- Effectively resists aeration, foaming and cavitation and has excellent cooling properties. It has low evaporation losses;
- Eliminates vibration and reduces noise.

CVT is specially developed for the latest generation variator JATCO CVT8 (JF016E/JF017E) used in Nissan cars - Teana, Pathfinder, Altima, Serena as well as Suzuki Landy. Suitable for variators in MITSUBISHI, RENAULT, BMW etc. cars according to the above list.

COLOUR: green.

Recommendation

BMW 83 22 0 136 376 BMW 83 22 0 429 154 BMW EZL799 BMW EZL799A BMW ZF CVT V1 BMW Punch EZL 799 BMW Punch EZL 799A CHRYSLER CVTF+4 VOLKSWAGEN G 052 180 VOLKSWAGEN G 052 516

CITROEN Elfmatic CVT

Chery NS-3

DAIHATSU AMMIX CVTF-DC

DAIHATSU AMMIX CVT-DFE

DODGE NS-2

FIAT Tutela Car CVT N.G

Fujijyuko i-CVTF FG

FORD CVT23

FORD CFT30

FORD MERCON C

FORD MOTORCRAFT XT-7-QCFT

FORD WSS-M2C933-A

GM SATURN CVTF I-Green2

GM SATURN DEX-CVT

HONDA HMMF HCF-2

GM 1940713

GM 1940714

HONDA HMMF (Without starting clutch)

HONDA CVTF

HYUNDAI SP-CVT 1

JEEP NS-2

INFINITI NS-1

INFINITI NS-2

INFINITI NS-3

KIA SP-CVT 1

JEEP VTF, #05191184AA

MAZDA CVTF 3320

LIFAN CVT

MB 236.20

MB CVT28

MINI 83 22 0 136 376

MINI 83 22 0 429 154

MINI EZL799

MINI EZL799A

MINI ZF CVT V1

MINI Punch EZL 799

MINI Punch EZL 799A

MITSUBISHI DiaQueen CVTF-J1

MITSUBISHI DiaQueen CVTF-J4

MOPAR CVTF+4

NISSAN Matic W

NISSAN NS-3

NISSAN NS-2

NISSAN NS-1

AFNOR FRANCE Industrial Hydraulic Oil

RENAULT ELFMATIC

RENAULT ELFMATIC CVT MV

RENAULT CVT CK/SK/FK

ROVER Unipart Transmatic ATF

ROVER EM-CVTF

SUBARU LINEARTRONIC CVTF II

PEUGEOT Elfmatic CVT

PEUGEOT Elfmatic CVT MV, # 9735 EF

SUBARU LINEARTRONIC CVTF

SUBARU K0425Y0710

SUBARU CVT TR580

SUBARU ICVT FG

SUBARU CVT TR690

SUBARU High Torque CVT

SUBARU Lineartronic II

SUBARU K0425Y0711

SUBARU CV30

SUBARU K0421Y0700

SUBARU Lineartronic chain CVT 3 Fluid

SUBARU CVT III Fluid

SUBARU NS-2

SUBARU E-CVTF

SUBARU I-CVTF

SUBARU CV-30

SUZUKI CVT Fluid Green 1

SUZUKI CVT Fluid Green 2

SUZUKI CVT Fluid NS-2

SUZUKI TC

SUZUKI CVTF 3320

TOYOTA CVT Fluid TC

TOYOTA CVT Fluid FE

SATURN DEX-CVT, #22688912

VOLVO CVTF 4959

ZOTYE RDCF01

ZOTYE RDCF02

ZOTYE CVTs

ELF Elfmatic CVT

ELF Elfmatic CVT MV

ESSO EZL 799

ESSO FN1975

IDEMITSU CVTF-EX1

MOBIL CVTF 3320

PUNCH CVTF-EX1

SHELL Green 1V

PACKAGING

1L	MN8220-1	Plastic	20 pcs/box
	MN8220-DR		
	MN8220-20		
	MN8220-4		
	MN8220-1MF		