



AUTOMOTIVE ADDITIVES AND CAR CARE PRODUCTS

2026

MANNOL®

MANNOL®

AUTOMOTIVE ADDITIVES & CAR CARE PRODUCTS

The MANNOL brand offers a comprehensive range of additives and car care products that meet the needs of car and motorcycle enthusiasts as well as owners of commercial vehicles and industrial equipment.

The MANNOL high-tech product range includes the latest fuel and oil additives, sealants and adhesives for repair applications, care products for both the interior and exterior of vehicles, as well as service and hygiene products.

Our speciality lies in the thorough analysis of every individual application. Depending on the intended application, the materials used, as well as the climatic and operating conditions in different regions of the world, we develop products that take all aspects of vehicle operation and engineering into account.

Our professional approach to product development has allowed us to create highly effective products that offer the perfect balance of price, quality, and ease of use.



www.mannol.de



MANNOL & MOTORSPORT PARTNERSHIP

MANNOL continues to strengthen its involvement in motorsport through its partnership with the Grupo Prom Racing Team in the GT Winter Series, GT Open and GT World Series.

The collaboration features a Mercedes-AMG GT3 competing in a distinctive MANNOL livery, creating a powerful platform to demonstrate lubricant performance under some of the most demanding racing conditions.

Motorsport provides an ideal environment for testing, developing, and showcasing advanced lubricant technologies. Through this partnership, MANNOL brings its expertise in high-performance lubrication closer to racing professionals and automotive enthusiasts worldwide.

SCAN TO DISCOVER MORE



MODERN STANDARD OF LUBRICANT QUALITY



SCT ESTER

Many MANNOL engine oils, lubricants and additives are formulated with our proprietary SCT ESTER technology. Originally developed for demanding aerospace applications, these advanced Group V synthetic esters significantly enhance lubrication and wear protection under extreme operating conditions. Their naturally polar molecules adhere firmly to metal surfaces, forming a durable lubricating film that reduces friction, minimises wear and improves thermal stability. In addition, SCT ESTER technology supports excellent detergent and dispersant properties, helping to keep engines cleaner and maintain long-term performance. By integrating ester technology into both lubricants and additives, MANNOL delivers maximum protection, improved efficiency and extended service life for engines and transmissions.



ADDITIVES

OIL ADDITIVES 04

MN9929 Ester Additive / MN9829 Ceramo Ester
 MN9830 Ceramo Motorbike / MN9423 Oil Leak-Stop / MN9923 Power Steering Leak-Stop
 MN9990 Motor Doctor / MN9900 Motor Flush / MN9991 Molibden Additive
 MN9943 Motor Doctor + Ester / MN9009 Motor Flush Professional / MN9942 Viscosity Modifier

FUEL ADDITIVES 08

MN9950 Benzin Ester Additive / MN9939 Burning Booster
 MN9954 Octane Plus / MN9957 Injector Cleaner / MN9202 Catalytic Ester
 MN9930 Diesel Ester Additive / MN9956 Diesel Jet Cleaner / MN9955 Cetane Plus
 MN9983 Winter Diesel / MN9993 Winter Diesel Multifunction / MN9992 Diesel Ester De-Icer
 MN9958 DPF Cleaner / AD3001 AdBlue®

COOLING SYSTEM ADDITIVES 13

MN9965 Radiator Flush / MN9966 Radiator Leak-Stop

DRIVELINE SYSTEM ADDITIVES 14

MN9968 Getriebeoel Leak-Stop / MN9902 Getriebeoel Additiv Automatic / MN9903 Getriebeoel Additiv Manual

CAR CARE PRODUCTS

INTERIOR CARE PRODUCTS 16

MN9979 Plastic Cleaner / MN9976 Textile Cleaner
 MN9931 Textile Foam / MN9944 Leather Cleaner / MN9972 Universal Cleaner
 MN6121/MN6122/MN6123/MN6124/MN6125/MN6126/MN6127 Cockpit-Reiniger
 MN6145/MN6147/MN6149 Cockpit Care / /MN9971 Air Conditioner Cleaner / MN9978 Air-Con Fresh

EXTERIOR CARE PRODUCTS 20

MN4903 Car Wash Shampoo / MN4902 Sea Touch Shampoo
 MN4905 Activ Foam / MN9809 Auto Wash & Wax / MN4901 Universal Technical Cleaner
 MN4904 Motor Cleaner Solvent Free / MN9673 Tire Cleaner / MN9997 Wheel Cleaner Red Pro
 MN9953/MN9963 Silicone Spray / MN9881 Lithium spray / MN9887 / MN9880 Copper Spray
 MN9668 Tar Remover / MN9909 Anticor / MN9919 Anticor Schwarz
 MN9683 Tire Shine / MN9820 Chrom Politur / MN9811 Synthetic Chamois
 MN9814 Micro Fiber Polish / MN9815 Micro Fiber Cloth

GLASS CLEANERS & CARE PRODUCTS 27

MN5022 Scheiben-Reiniger (1:100) / MN5024 Scheiben-Reiniger (-70 °C)
 MN9974 Glas Cleaner / MN9908 Defroster

PARTS CLEANERS & RUST REMOVERS 29

MN9691 Brake Cleaner / MN9692 Brake Cleaner
 MN9670/MN9672 Montage Cleaner / MN9973 Motor Cleaner / MN9671 Motor Kaltreiniger
 MN9970/MN9770 Carburetor Cleaner / MN9873 Intake Valve Cleaner / MN9893 Contact Cleaner
 MN9895/MN9898/MN9892/MN9940/MN9899 M-40 Lubricant
 MN7904 Chain Cleaner / MN7901 Chain Lube / MN9932 Rust Dissolver
 MN9694 DPF Foam Cleaner / MN9995 DPF Regenerator & MN9996 Flush Fluid / MN9201 Catalytic System Cleaner
 MN9964 Air Filter Oil / MN9897 Belt Tensioner

REPAIR PRODUCTS

GLUES 36

MN9924/MN9925 Fix-Gewinde Mittelfest / MN9926/MN9927 Fix-Gewinde Hochfest
 MN9904 Epoxy-Plastic / MN9905 Epoxy-Metal / MN9918 2K-PUR
 MN9822 Super Glue Gel / MN9922 Super Glue / MN9910 Windshield Sealant
 MN9928 Epoxidkitt Stahl + Metall / MN9934 Rearview Mirror Adhesive

CAR REPAIR KITS 40

MN9801 Headlight Polish Restoration System / MN9804 Windshield Repair Kit

SILICONE GASKET MAKERS 41

MN9911 Gasket Maker Grey Neutral / MN9912 Gasket Maker Black / MN9913 Gasket Maker Grey
 MN9914 Gasket Maker Red / MN9915 RTV Adhesive Sealant Blue / MN9916 Gasket Maker Transparent

TAPES 44

MN9617 Thread Seal Tape / MN9717 Bandage Tape
 MN9817 Insulating Tape / MN9917 Multitape

ROADSIDE ASSISTANCE EQUIPMENT 46

MN9669 Motor Starter / MN9906 Reifen Doctor

OIL ADDITIVES

Our oil additives are specially formulated to enhance the performance and extend the service life of engines, transmissions and hydraulic systems. Whether for cleaning, sealing leaks or reducing wear, MANNOL offers tailored solutions for a wide range of mechanical systems and operating conditions.



9929 ESTER ADDITIVE

Engine Oil Ester Additive

Volume:

450ml MN9929-045PET
1L MN9929-1PET

PCS/CTN: 450ml x 24; 1L x 20



Innovative engine protection agent based on synthetic esters (oils of Group V). Metal surfaces attract ester molecules, forming a dense oil film that reduces friction and wear. Esters minimise fuel consumption and increase engine life. Thanks to low evaporation and high thermal-oxidative stability, the additive prolongs oil life. Increased washing and dispersing properties prevent tar and sludge deposits. Penetrates into gaskets and rubber seals and restores their former volume and elasticity, preventing oil leakage. Guarantees smooth cold start.

Dosage:

450 ml for ≤ 5 L



9829 CERAMO ESTER

Anti-Friction Additive

Volume:

250ml MN9829-025PET

PCS/CTN: 250ml x 50



Innovative engine protection agent based on synthetic compound ethers – esters (group V oils) and hexagonal boron nitride microparticles h-BN (white graphite) – anti-wear and anti-friction additive for engine oils without oil bath clutches (friction clutches). It is suitable for all types of engines – diesel and petrol, four-stroke and two-stroke and for all types of oils – mineral, semi-synthetic, synthetic, including those containing ether (ester). Ideal product for tuning and high-performance cars. It is a stable suspension of graphite-like micro powder in ether.

Dosage:

250 ml for ≤ 5 L



9830 CERAMO MOTORBIKE

Anti-Friction Additive

Volume:

120ml MN9830-012PET

PCS/CTN: 120ml x 50



Innovative preparation designed for use in engines and gearboxes of 4-stroke motorcycles, contains synthetic esters. Reduces wear on key engine and gearbox components, lowers friction and fuel consumption.

Dosage:

120 ml for ≤ 3 L

9423 OIL LEAK-STOP

Engine Oil Leak-Stop Additive

Volume:

250ml MN9423-025PET

PCS/CTN: 250ml x 50

Special engine oil additive made using unique technologies. Compatible with any engine oil and suitable for any type of engine. Recommended for extreme operating conditions, high oil consumption and unstable engine operation.

Properties: modifies the surface structure of piston rings and hydro-compensators. Restores elasticity of seals and gaskets. Reduces oil flow through the piston rings by maintaining the oil viscosity at the required level.

Dosage:

250 ml for ≤ 6 L



9923 POWER STEERING LEAK-STOP

Sealant for Power Steering System

Volume:

250ml MN9923-025PET

PCS/CTN: 250ml x 50



Special additive to power steering fluid to prevent and eliminate leaks from the steering system. Eliminates power steering, pump and steering rack leaks, significantly extending their service life. With regular use, it increases the service life of the system by 1,5 - 2 times.

Properties: Special modifiers restore the original shape, size and elasticity of the seals and power steering gaskets. Protects rubber and neoprene seals from drying, hardening, deformation and cracking, slowing down their aging and thus extending their service life.

Dosage:

250ml for ≤ 3 L

9990 MOTOR DOCTOR

Anti-Friction Engine Oil Additive

Volume:

300ml MN9990-030ME

PCS/CTN: 300ml x 24



Modern multifunctional additive to engine oil – a viscosity stabiliser designed to restore oil pressure and reduce its consumption in engines with high mileage.

Properties: A special modifier increases the oil viscosity index, which prevents oil from entering the combustion chamber, which in turn reduces soot formation and eliminates exhaust gas smoke. Anti-wear components minimise wear on engines with any mileage and extend their service life. Improves the stability and strength of the oil film on the rubbing parts of the engine, which facilitates cold start and reduces starting wear.

Dosage:

300ml  for ≤ 5 L 

9900 MOTOR FLUSH

Lubrication System Flushing

Volume:

300ml MN9900-030ME

PCS/CTN: 300ml x 24

Special cleaner for removing sediments, dirt, sludge and wear products of engine parts, including the most inaccessible elements of the oil system.

Properties: Cleans the oil system and filter nets of oil pumps. During the washing process, it provides reliable lubrication, preventing wear of engine parts. Due to the unique composition of detergent-dispersing additives, it guarantees highly effective and safe removal of carbon deposits, including from the bottom of the piston. Removes both oil-soluble and non-oil-soluble contaminants.

Dosage:

300ml  for ≤ 6 L 



9991 MOLIBDEN ADDITIVE

Anti-Friction Additive MoS₂

Volume:

300ml MN9991-030ME

PCS/CTN: 300ml x 24



Additive to engine and/or transmission (for mechanical transmissions) oil to reduce friction and wear, which is provided by an extremely stable colloidal dispersion of natural molybdenum disulfide (MoS₂) in the base oil. It forms a strong layered film with an unsurpassed anti-friction effect on all rubbing surfaces, which persists even when the oil is completely leaked.

Properties: Effectively reduces the coefficient of friction, thereby reducing torque and, consequently, energy loss, which allows you to significantly save fuel. Has high thermal stability, resistant to high temperatures - up to 350 °C.

Dosage:

300 ml  for ≤ 5 L 

9943 MOTOR DOCTOR + ESTER

Universal Viscosity Stabiliser

Volume:

450ml MN9943-045PET

PCS/CTN: 450ml x 24



Innovative multifunctional engine protectant by stabilising the pressure in the lubrication system – an additive for engine oils based on synthetic esters (Group V oils). It is a complex product: a viscosity stabiliser protecting the oil from liquefaction, a sealant of the engine lubrication system and a friction modifier. It is suitable for all types of four-stroke engines – diesel and petrol engines and all types of oils – synthetic, semi-synthetic, mineral, including those containing esters.

Properties: Replaces the loss of kinematic viscosity (at 100 °C) during operation (especially with frequent cold starts) without reducing the low-temperature properties.

Dosage:

100 ml for ≤ 1 L

9009 MOTOR FLUSH PROFESSIONAL

Lubrication System Flushing

Volume:

450ml MN9009-045PET

PCS/CTN: 450ml x 24

Special cleaner for removing deposits, dirt, sludge and wear products from engine parts, including the most inaccessible parts of the oil system. It contains synthetic esters.

Properties: Cleans the oil system and the filter screens of the oil pumps. Provides reliable lubrication during the flushing process, preventing wear of the engine separate parts. Thanks to the detergent-dispersant additives of a unique composition it ensures a highly effective and safe removal of soot, including from the bottom of the pistons.

Dosage:

450ml for ≤ 6 L



9942 VISCOSITY MODIFIER

Universal Viscosity Stabiliser

Volume:

350ml MN9942-035ME

PCS/CTN: 350ml x 25



Universal pressure stabiliser for the lubrication system, based on synthetic esters. Quickly and reliably restores oil pressure.

Properties: Increases the viscosity index of the oil, amplifying the thickness and strength of the oil film. Reduces friction and wear, prolongs engine life, and saves fuel. Contains fluorescent dye for leak detection. Compatible with any diesel or petrol four-stroke engine and all types of oils.

Dosage:

100ml for ≤ 1 L

FUEL ADDITIVES

Fuel additives by MANNOL are designed to restore optimal combustion, clean injectors and protect fuel systems. These advanced formulations help improve fuel efficiency, reduce emissions and maintain engine performance in both petrol and diesel engines.



9950 BENZIN ESTER ADDITIVE

Benzin Ester Additive

Volume:

100ml MN9950-01PET **250ml** MN9950-025PET
450ml MN9950-045PET

PCS/CTN: 100ml x 50; 250ml x 50; 450ml x 24



Lubricating additive in petrol for all types of fuel systems of petrol engines (including two-stroke) based on complex synthetic esters. It has excellent cleaning and protective properties. Applicable in automotive and industrial engines as well as in bike and boat engines. Acts as a combustion catalyst and purifies at the atomic level, removing deposits and carbon from metal micro cracks. Eliminates problems associated with the use of low-quality or surrogate petrol.

Properties: Eliminates problems with starting, restores the uniformity of idle speed and reduces detonation.

Dosage:

50 ml : 50 L



9939 BURNING BOOSTER

Fuel Combustion Improver

Volume:

450ml MN9939-045PET

PCS/CTN: 450ml x 24



Fuel combustion activator for all types of petrol engine fuel systems based on synthetic esters. Designed to reduce fuel consumption and protect the engine from the consequences of using low-quality (surrogate) petrol. When mixed with petrol, it weakens intermolecular bonds, orders the spatial structure of hydrocarbons and makes it more uniform, making it easier for oxygen molecules to access them. Properties: By increasing the combustion efficiency, it reduces gasoline consumption by 3-5% and reduces CO-CH emissions.

Dosage:

50 ml : 50 L



9954 OCTANE PLUS

Multifunctional Petrol Fuel Additive

Volume:

450ml MN9954-045PET

PCS/CTN: 450ml x 24

Special additive to petrol that increases the octane number and has detergent properties. Suitable for all types of petrol and all types of petrol engines (naturally aspirated and turbocharged engines), with any number of valves, equipped and not equipped with petrol particulate filters and catalytic converters.

Properties: According to the research method increases octane number by 3-6 units. Allows the use of gasoline with an octane rating of up to 6 units below the recommended. Protects engine parts from knocking, preventing costly repairs. Compatible with all construction materials.

Dosage:

450 ml : 45 L

9957 INJECTOR CLEANER

Fuel Injection System Cleaner

Volume:

250ml MN9957-025PET

PCS/CTN: 250ml x 50

Universal cleaner for fuel systems of petrol engines (naturally aspirated and turbocharged engines). Designed for injection engines with distributed (MPI) and direct (GDI) injection, suitable for carburettor engines. Developed with the latest generation of detergent. Recommended for petrol engines equipped with exhaust gas treatment systems, including catalytic converters.

Properties: Quickly and effectively cleans injectors, removing carbon deposits, resins and other deposits from needles and sprayers. Removes carbon deposits and other deposits from the intake valves and the combustion chamber.

Dosage:

250 ml : 50 L



9202 CATALYTIC ESTER

Catalytic Converter & Oxygen Sensor Cleaner

Volume:

450ml MN9202-045PET

PCS/CTN: 450ml x 24

Complex detergent and lubricant ashless (does not contain metals and their compounds) petrol additive based on synthetic esters for all types of petrol (including two-stroke) and hybrid engines equipped with catalytic converters. Cleans both the fuel system and the exhaust system. Improves the efficiency of catalytic converters by cleaning them WITHOUT DISMANTLING, as well as optimises the operation of oxygen sensors (lambda probes), keeping them clean.

Dosage:

450 ml : 30 L



9930 DIESEL ESTER ADDITIVE

Diesel Ester Additive

Volume:

100ml MN9930-01PET 450ml MN9930-045PET
250ml MN9930-025PET 1L MN9930-1PET

PCS/CTN: 100ml x 50; 250ml x 50; 450ml x 24; 1L x 20



Comprehensive anti-wear additive for all types of diesel fuel. It provides lubrication of friction units of the fuel system and protects them from wear. Removes impurities and prevents deposits. Increases the cetane number by 1–2 points on fuels with a low cetane number, reduces fuel consumption and prevents its oxidation and separation. Restores the elasticity of rubber seals. Reduces exhaust emissions.

Dosage:

50 ml : 50 L

9956 DIESEL JET CLEANER

Diesel Injector Cleaner

Volume:

250ml MN9956-025PET

PCS/CTN: 250ml x 50



Powerful, fast-acting nozzle cleaner for all types of diesel engines (turbocharged and naturally aspirated, with and without exhaust gas after treatment systems) with complex action. Especially recommended for engines with starting problems and erratic performance.

Properties: Quickly and effectively cleans nozzles by removing tar, carbon and other deposits from the nozzles. Eliminates needles seizing. Increases the cetane number and provides calm, smooth and complete combustion of fuel.

Dosage:

250 ml : 50 L



9955 CETANE PLUS

Multifunctional Diesel Fuel Additive

Volume:

450ml MN9955-045PET

PCS/CTN: 450ml x 24



Special additive to diesel fuel that increases the cetane number and has cleaning properties. Suitable for all types of diesel fuel and all types of diesel engines (naturally aspirated and turbocharged engines) with any fuel systems, equipped and not equipped with diesel particulate filters and catalytic converters.

Properties: Due to a quieter, smoother and complete combustion of fuel, the engine power is increased and power stability is ensured in all operating modes, including during overloads.

Dosage:

450 ml : 135 L

9983 WINTER DIESEL

Ester Anti-Gel Additive for Diesel Fuel

Volume:

250ml MN9983-025PET
1L MN9983-1PET

PCS/CTN: 250ml x 50



Special anti-gel additive developed using a unique technology to reduce the pour point (gelation) and the maximum filterability temperature of both summer and winter diesel fuel grades. It is suitable for any type of diesel fuel and all types of diesel engines (naturally aspirated and turbocharged engines) with any fuel systems, equipped and not equipped with diesel particulate filters and catalysts. It does not change the basic properties of the fuel, only improves its low-temperature characteristics. Properties: Prevents the crystallization of paraffin contained in diesel fuel at low temperatures.

Dosage:

250 ml : 250 L

9993 WINTER DIESEL MULTIFUNCTION

Ester Anti-Gel Additive for Diesel Fuel

Volume:

450ml MN9993-045PET
1L MN9993-1PET

CTN/PLT: 450ml x 24; 1L x 20



Multifunctional anti-gel additive for diesel fuel with enhanced fuel system protection. Prevents paraffin crystallization and improves fuel fluidity at low temperatures. Reduces the cold filter plugging point to -36°C and the pour point to -47°C (depending on fuel quality). Thanks to specially formulated lubricating and cleaning components, it protects fuel filters and fuel lines from clogging. Improves fuel atomization and combustion efficiency while reducing smoke emissions.

Dosage:

1 L : 500 L



9992 DIESEL ESTER DE-ICER

Diesel Fuel De-Icer

Volume:

250ml MN9992-025PET

PCS/CTN: 250ml x 50



Additive for defrosting congealed and clarifying turbid diesel fuels, especially for diesel grades with high paraffin content (summer types). It has anti-wear and detergent properties as well as anti-gel effect.

Properties: Dissolves paraffin crystals formed in diesel fuel under the influence of low temperatures, which allows effectively restoring fuel pumpability in the system and starting the engine on congealed or turbid fuel. Improves the low-temperature properties of fuel: reduces the turbidity and congealation temperatures, as well as the limit of filterability.

Dosage:

250 ml for ≤ 50 L



9958 DPF CLEANER

DPF Cleaning Additive

Volume:

400ml MN9958-04PET

PCS/CTN: 400ml x 24

Diesel fuel additive for cleaning and regeneration of all types of diesel particulate filters (DPF) without dismantling and disassembling. Suitable for all types of diesel fuel and for all types of diesel engines equipped and not equipped with automatic DPF regeneration systems. Especially recommended for cars operating in the city (in traffic jams) and/or when using low-quality fuel. Regular use helps to restore the DPF to factory settings.

Dosage:

400 ml : 60 L

AD3001 AdBlue®

Fuel System Additive

Volume:

10L AD3001-10 **20L** AD3001-20

1000L AD3001-IBC

PCS/CTN: 10L x 1; 20L x 1; 1000L x 1



AdBlue® is a high-purity 32,5 % w/w urea solution which is used as an additional working fluid in diesel cars and trucks equipped with SCR technology (Selective Catalytic Reduction). The composition of AdBlue® is specified in DIN 70070. The use of such systems optimises engine performance, reduces the emission of harmful particles in exhaust gases and complies with the environmental standards Euro 4, Euro 5 and Euro 6.



COOLING SYSTEM ADDITIVES

These additives help protect the cooling system against corrosion, scale and leaks. They improve thermal stability and protect key components such as radiators, water pumps and coolant passages, helping to ensure long-term engine reliability.



9965 RADIATOR FLUSH

Universal Cooling System Cleaner

Volume:

250ml MN9965-025PET

PCS/CTN: 250ml x 50

Special cleaner for cooling systems of internal combustion engines (ICE) and interior heating systems. Suitable for any liquid-cooled internal combustion engine. It is a chemical scale converter with active detergent components – it cleans the cooling system of any degree of contamination.

Properties: Compatible with any coolant. Improves heat transfer in the cooling system and increases the efficiency of the radiator by 50–70%. Does not contain acids, does not require neutralization.

Dosage:

250 ml  for ≤ 10 L 



9966 RADIATOR LEAK-STOP

Universal Coolant Leak Repair

Volume:

250ml MN9966-025PET

PCS/CTN: 250ml x 50



Special additive to the coolant – a sealant for the cooling system of internal combustion engines (ICE) and the interior heating system. Suitable for any liquid-cooled internal combustion engine with radiators made of any materials (aluminium, copper, plastic, composite, etc.). It is a mixture of metal polymers and special fibres and is designed to eliminate leaks in the system.

Properties: Compatible with any coolant as well as water. Seals the cooling system and eliminates leaks through gaskets, clamps, small cracks in the radiator, cylinder head gaskets, from the water pump and from the cylinder block itself.

Dosage:

250 ml  for ≤ 10 L 

DRIVELINE SYSTEM ADDITIVES

MANNOL drivetrain additives help protect transmission components against wear, friction and ageing. They improve shifting performance, reduce operating noise and support smooth power transmission in manual and automatic transmissions, transfer cases and differentials.



9968 GETRIEBEOEL LEAK-STOP

Gearbox Sealant

Volume:

250ml MN9968-025PET

PCS/CTN: 250ml x 50

Special additive to transmission oil based on esters, designed to eliminate leaks through rubber and plastic seals and gaskets of mechanical transmissions, transfer cases, differentials, on-board gearboxes and other components of mechanical transmissions.

Properties: Special modifiers restore the original shape and elasticity of gaskets and seals; especially effective in severe operating conditions; applicable to any mechanical transmission components and compatible with any oil for mechanical transmissions.

Dosage:

250ml  for ≤ 4-5 L 



9902/9903 GETRIEBEOEL ADDITIV

Oil Additives for Automatic/Manual Transmissions

Volume:

100ml MN9902-01PET

100ml MN9903-01PET

PCS/CTN: 100ml x 50



MN9902 Oil additive for automatic transmissions.

Oil additive for classic automatic transmissions and double-clutch automatic transmissions. Recommended for extreme operating conditions and for gearboxes with a high degree of wear.

MN9903 Oil additive for manual transmissions.

Manual transmission oil additive to reduce friction and wear. Compatible with any type of transmission oil (both mineral and synthetic).

Dosage:

100ml  for ≤ 4 L 



RENEWED
CAR CLEANER LINE

MANNOL®

MANNOL®

INTERIOR CARE PRODUCTS

This product line combines effective cleaning with long-lasting protection for seats, dashboards, textiles, leather and other interior surfaces. Developed to restore surfaces and neutralise odours, MANNOL interior care products help keep vehicle interiors looking fresh and feeling comfortable every day.



9979 PLASTIC CLEANER

Plastic Cleaner

Volume:

600ml MN9979

PCS/CTN: 600ml x 9

High-performance cleaner for plastic interior surfaces. Effectively removes dirt, fingerprints, grease, oily residues, and traces of protective agents.

Application: Remove loose dirt, spray evenly onto the surface or a microfiber cloth, wipe clean, then remove any residue with a damp cloth and dry with a clean microfiber cloth.



9976 TEXTILE CLEANER

Textile Cleaner

Volume:

600ml MN9976

PCS/CTN: 600ml x 9



High-performance cleaner for car seats, carpets, upholstery and other textile surfaces. Effectively removes dirt, grease, oil and stubborn stains while being safe for fabrics and carpets. Leaves a fresh, pleasant scent.

Application: Vacuum the surface before application. Spray evenly onto the surface, work in with a sponge or soft brush, allow to dry naturally, then vacuum if necessary.



9931 TEXTILE FOAM

Upholstery Foam Cleaner

Volume:

650ml MN9931

PCS/CTN: 650ml x 12



Highly effective foam cleaner for textiles. Removes a variety of dirt from textile elements of the car interior (seats, doors, etc.), furniture upholstery, carpets, etc.)

Properties: Returns the natural colour, restores the original appearance of fabrics and carpet materials, raises the pile, eliminates unpleasant odours and refreshes the air in the car. Prevents repeated contamination due to its antistatic properties.

9944 LEATHER CLEANER

Leather Cleaner and Conditioner

Volume:

450ml MN9944

PCS/CTN: 450ml x 24



Special product with a pleasant smell for effective cleaning and care of leather interiors of cars and their individual elements – seats, steering covers, etc., motorcycle seats, leather furniture and other smooth leather products.

Properties: Effectively removes most of the dirt, while strengthening the skin structure due to deep-penetrating active substances. Restores elasticity, prevents deformation, cracking and drying of leather surfaces. Forms a waterproof layer, which, at the same time, does not make the surface slippery and sticky.



9972 UNIVERSAL CLEANER

Universal Cleaner

Volume:

500ml MN9972

PCS/CTN: 500ml x 20



Universal cleaning agent for all internal and external surfaces of the car. Quickly and effectively removes grease and oil stains, traces of insects, nicotine, rust and oxidation from plastic, glass, rubber, leather, velour, textiles, suede, paint, metal and enamel surfaces.

Application: Spray on the surface to be cleaned from a distance of 20-30 cm, leave for 5-10 min. to absorb, then wipe with a clean dry cloth. Repeat if necessary. Store at a temperature of +5 °C up to +40 °C.

SPRAY FOR CLEANING, PROTECTING AND FINISHING DASHBOARDS AND OTHER INTERIOR PLASTIC CAR PARTS



6121/6122/6123/6124/6125/6126/6127 COCKPIT REINIGER

Cockpit Cleaner

Volume:

500ml MN6121 – Cherry MN6122 – Levander MN6123 – Strawberry MN6124 – Pomegranate
500ml MN6125 – Apple MN6126 – Citron MN6127 – New Car

PCS/CTN: 500ml x 12

Spray for cleaning, protection and care for dashboards and other interior plastic car parts.

Cleaning agent with surfactants and a pleasant scent, designed for cleaning and care of the dashboard. Thanks to its new formula, it removes stubborn dirt and refreshes colours. Gives the panel water-repellent and antistatic properties. Suitable for the care of interior elements made of plastic materials and synthetic leather.



6145/6147/6149**COCKPIT CARE**

Cleaner & Conditioner for Car Cockpit

Volume:

250ml

MN6145 Apple / MN6147 New Car / MN6149 Vanilla

PCS/CTN: 250ml x 24



Preservative-protector of plastic with a pleasant smell, which serves as its cleaner and at the same time as a protective varnish. Compatible with all plastics used in cars.

Properties: Protects surfaces from cracking, drying and fading. Gives the treated surface its initial shine and has an antistatic effect that prevents the accumulation of dust. Recommended for external and internal processing of plastic parts as well as rubber and vinyl surfaces.

9971 AIR CONDITIONER CLEANER

Air Conditioning Cleaner

Volume:

520ml MN9971

PCS/CTN: 520ml x 12



A special foam cleaner for air conditioners that provides the maximum degree of cleaning, neutralising unpleasant odours and disinfection during their operation. It can be used for cleaning any air conditioning system.

Properties: Effectively cleans and disinfects both internal and external surfaces of the air conditioning system; destroys viruses, bacteria, fungi and other pathogenic microorganisms, and prevents their reformation.

**9978 AIR-CON FRESH**

Air Conditioner Disinfectant

Volume:

200ml MN9978

PCS/CTN: 200ml x 24



Preventive product for deodorising and disinfecting car air conditioners, ventilation ducts and car air ducts without removing the cabin filter.

Properties: Effectively and quickly removes unpleasant odours, bacteria and fungi, and prevents their reformation. Contains triclosan. Leaves a fresh and pleasant fragrance. Contributes to the prevention of allergic and infectious diseases.

EXTERIOR CARE PRODUCTS

MANNOL exterior care products clean, protect and preserve a wide range of exterior surfaces – from bodywork and wheels to metal, rubber and plastic. Their advanced formulations remove stubborn contaminants and provide long-lasting protection against weathering, wear and road grime.



4903 CAR WASH SHAMPOO

Universal Shampoo Concentrate

Volume:
20L MN4903

PCS/CTN: 20L x 1

Universal shampoo concentrate with the highest washing and cleaning effect for use in foam generators (high-pressure devices) for non-contact washing and for manual contact car washing.

Properties: Forms rich active foam; effectively removes all types of stains and dirt – oil, fat, soot, etc. due to its excellent splitting properties; suitable for washing glass and polycarbonate panels. Effective even when using hard water. Biodegradable, environmentally friendly product that meets all EU requirements.



4902 SEA TOUCH SHAMPOO

Highly Foaming Shampoo Concentrate

Volume:
20L MN4902

PCS/CTN: 20L x 1



Highly foaming shampoo concentrate with the highest washing and cleaning action for manual contact car wash.

Properties: Forms rich active foam; effectively removes all types of stains and dirt – oil, fat, soot, etc. due to its excellent splitting properties; suitable for washing glass and polycarbonate panels. Easily washed off with water without leaving streaks and smudges. Has the smell of sea breeze. Effective even when using hard water. Biodegradable, environmentally friendly product that meets all EU requirements.



4905 ACTIV FOAM

Concentrated Detergent

Volume:
20L MN4905

PCS/CTN: 20L x 1

Concentrated detergent with the highest washing and cleaning effect for use in foam generators (high-pressure devices) and manual foam sprayers for non-contact car washing.

Properties: Forms very thick, stable active foam. Effectively removes all types of stains and dirt: dust, fuel, oil, fat, soot, insect residues, etc. due to its excellent splitting properties. Dissolves limescale without leaving a trace. Does not cause corrosion of ferrous metals and oxidation of non-ferrous metals. Effective even when using hard water. pH-neutral.

9809 AUTO WASH & WAX

Car Wash Shampoo Concentrate

Volume:
10L MN9809

PCS/CTN: 10L x 1



Super shampoo concentrate with the highest washing and cleaning action for manual contact washing of cars and other vehicles with the properties of polish.

Properties: A special mixture of active substances and foaming agents creates very active foam and thoroughly cleans the car. Active detergents effectively remove all types of stains and dirt – dust, fuel, oil, fat, soot, insect residues, etc. due to their excellent splitting properties.



4901 UNIVERSAL TECHNICAL CLEANER

Liquid Soap Concentrate

Volume:
20L MN4901

PCS/CTN: 20L x 1



Liquid Soap Concentrate with the highest washing and cleaning effect for use in foam generators (high-pressure devices) for non-contact washing and cleaning of walls and floors of garages and other premises.

Properties: Forms rich active foam; effectively removes all types of stains and dirt – oil, fat, soot, etc. due to its excellent splitting properties; suitable for washing glass and polycarbonate panels. Easily washed off with water without leaving streaks and smudges. Biodegradable, environmentally friendly product that meets all EU requirements.



4904 MOTOR CLEANER SOLVENT FREE

Car Engine Wash Shampoo

Volume:

20L MN4904

PCS/CTN: 20L x 1



Concentrated detergent with the highest cleaning effect for use in foam generators (high-pressure devices) for non-contact washing of the engine and similar units, as well as other metal products. It does not contain organic solvents.

Properties: Forms a very rich active foam. Effectively removes all types of stains and dirt from metal surfaces – dust, fuel, oil, etc. due to its excellent splitting properties. Does not cause corrosion of ferrous metals and oxidation of non-ferrous metals. Does not contain chlorine compounds. Biodegradable, environmentally friendly product that meets all EU requirements.

9673 TIRE CLEANER

High-effective Tire Cleaner

Volume:

650ml MN9673

PCS/CTN: 650ml x 12



Special foam cleaner for quick, easy and gentle cleaning and further maintaining the cleanliness of tyres and giving them the best appearance in just one operation. It is suitable for any type of tyre of any equipment and all types of rubber – without having a negative chemical effect on them.

Properties: Effectively dissolves and removes residues of petroleum products, including bitumen, as well as grease, dirt, salt, wear products of the brake system and asphalt, etc. Restores the original properties of the rubber and the black colour of the tyres, gives them a gloss and prevents ageing of the rubber, thereby increasing their service life.



9997 WHEEL CLEANER RED PRO

Wheel Cleaner

Volume:

600ml MN9997

PCS/CTN: 600ml x 9



High-performance gel wheel cleaner with a thick, color-changing formula for removing brake dust, rust, metallic contamination, and road grime. Turns red as it reacts with iron particles, indicating active cleaning. Suitable for aluminum, alloy, chrome, and painted wheels. Safe for painted surfaces when used as directed.

Application: Spray onto cool wheels, leave for 2–5 minutes without allowing the product to dry, then rinse thoroughly with high-pressure water.

9953/9963 SILICONE SPRAY

Anti-Static Silicone Spray

Volume:

200ml MN9953
450ml MN9963

PCS/CTN: 200ml x 24; 450ml x 24



Universal protective water-resistant, insulating and antifriction agent based on organosilicon compounds. It is intended, among other things, for effective lubrication of rubbing surfaces made of dissimilar materials (for example, metal and plastic) to eliminate jamming, creaking and cracking that occur during vehicle operation. It is recommended for use where the use of lubricants containing petroleum products and fats is undesirable.

Properties: Forms a solid transparent polymer layer of silicone molecules on the treated surface, which gives the surface excellent water-, dust-repellent and antistatic properties, in addition, it reduces friction, prevents creaking, freezing and corrosion. Does not contain mineral oils and fats.

9881 LITHIUM SPRAY

Lithium Aerosol Grease

Volume:

400ml MN9881

PCS/CTN: 400ml x 12

Universal water-resistant lithium grease in the form of an aerosol for lubricating metal, plastic and rubber parts of cars, motorcycles, electrical and other equipment, as well as in the office and at home. Effectively protects against moisture, corrosion and wear. Properties: Does not thicken in the cold, does not drain in the heat. Retains its performance properties from -30°C to $+120^{\circ}\text{C}$, which increases the service life of friction units. Due to the use of different metal cations in its composition, it has increased protective properties and reliably protects metal surfaces from corrosion.



9887/9880 COPPER SPRAY

Copper Paste Aerosol

Volume:

250ml MN9887
500ml MN9880

PCS/CTN: 250ml x 12; 500ml x 12



Universal separating copper aerosol lubricant for various equipment elements operating under any loads (including high loads) and/or exposed to high temperatures, high humidity or aggressive environments. It is used to ensure easy disassembly of connections after long-term operation. Eliminates their coupling with each other under the influence of a variety of factors.

Properties: Highest resistance to high-temperature impact. Copper powder effectively clads the treated surfaces and gives them excellent lubricating properties. Effectively protects against all types of corrosion.



9668 TAR REMOVER

Tar and Insect Remover

Volume:

400ml MN9668

PCS/CTN: 450ml x 24

Highly effective concentrated cleaner of resinous and other hard-to-remove dirt from all surfaces of cars, motorcycles and other equipment, as well as in everyday life, in the form of an aerosol. It is used for cleaning paint and chrome surfaces, windows, headlights, bumpers and mouldings, etc.

Properties: Removes bitumen (tar), asphalt chips, dried spots from oils and other technical liquids, insect stains and traces, bird droppings and oxidised and degraded paint coatings, without damaging the surfaces. Enhances the gloss and color of the treated surface. Leaves no stains, no smudges, no traces.

9909 ANTICOR

Corrosion Protection for Vehicle Underside, Wheel Arches & Longerons

Volume:

1L MN9909 (Liquid)

PCS/CTN: 1L x 12

High-quality anti-corrosion and anti-gravel agent in the form of a liquid based on synthetic resins and kaolin. It is intended for processing of external and internal surfaces of the car body, the bottom, wheel arches, wings, aprons, lower surfaces of thresholds of cars, etc. It is suitable for processing the internal surfaces of the hood, doors and body amplifiers. For professional body repairs, it is used to protect welds from inside of panels, protect the internal surfaces of new body panels, as well as to process bumpers, doors, aprons, hoods, trunks, etc. before installing on the car.

Properties: Reliably protects the body from the negative effects of road salt and deicing reagents, all types of atmospheric effects, corrosion, protects from scratches caused by road surface particles (gravel, crushed stone, etc.).



9919 ANTICOR SCHWARZ

Anticorrosive Protective Agent

Volume:

650ml MN9919 (Aerosol)

PCS/CTN: 650ml x 12



High-quality anti-corrosion and anti-gravelling agent in the form of an aerosol based on synthetic resins and bitumen. It is intended for processing of external and internal surfaces of a car body, the bottom, wheel arches, wings, aprons, lower surfaces of thresholds of cars, etc. It is suitable for processing the internal surfaces of the hood, doors and body amplifiers. Has passivating properties, significantly slowing down the corrosion process that has already begun.

Properties: Reliably protects the body from the negative effects of road salt and deicing reagents, all types of atmospheric effects, corrosion, protects from scratches caused by road surface particles (gravel, crushed stone, etc.). Holds of cars, etc. It is suitable for processing the internal surfaces of the hood, doors and body amplifiers. Has passivating properties, significantly slowing down the corrosion process that has already begun.

9683 TIRE SHINE

High-Gloss Black Tire Shine Gel

Volume:

500ml MN9683

PCS/CTN: 500ml x 24



Particularly resistant and hardy water-based blackener for tires that gives them a long-lasting and intense black colour and shine.

Properties: Contains polymers and natural oils: the coating formed in this way, does not allow the rubber to dry and does not attract dust and dirt. Tires retain an intense black color and shine for several weeks in any weather. Softens rubber, protects tires from further cracking and counteracts the aging of rubbers of any composition. Protects the rubber from the damaging effects of ultraviolet light.

9820 CHROM POLITUR

Polishing Paste

Volume:

100g MN9820

PCS/CTN: 100g x 80

Polish for any chrome-plated surfaces in engineering and in everyday life (plumbing). Suitable for cleaning and polishing stainless steels, aluminium and copper alloys, as well as alloys containing tin.

Properties: Effectively removes rust, dirt and stains, including old ones; contains extremely fine abrasive, does not leave micro scratches and does not damage the chrome coating. Creates a strong transparent protective film, preventing tarnishing of surfaces in the future.



9811 SYNTHETIC CHAMOIS

Leather Chamois for Car Washing & Polishing

Volume:

1pc MN9811

PCS/CTN: 1pc x 100



High-quality durable artificial suede for washing and polishing cars and use in everyday life – an innovative product made of the latest generation of polymers. Ideal for removing residual moisture from various surfaces after washing the vehicle.

Properties: Soft and very hygroscopic – absorbs moisture and dust well. Perfectly polishes and cleans, leaving no stains, streaks, microparticles or lint. Does not leave scratches. High strength, durability, chemical resistance.

9814 MICRO FIBER POLISH

Microfiber Polishing Cloth

Volume:

1pc MN9814

PCS/CTN: 1pc x 150



Polishing cloth for paint surfaces. This is a new high-tech product – an innovation in the field of microfiber production technology. It is used for the care of personal vehicles, in auto repair shops, industrial enterprises and in everyday life. Excellent for applying paint care products: wax, "liquid glass", nano ceramics.

Properties: Soft and very hygroscopic. Excellent polishing results, leaving no micro particles or lint. Does not leave scratches. Allows you to save a lot of polish during the polishing process.

9815 MICRO FIBER CLOTH

Microfiber Cleaning Cloth

Volume:

1pc MN9815

PCS/CTN: 1pc x 150



Cloth for cleaning all surfaces of dirt, including those requiring delicate care and polishing, without the use of chemicals. This is a new high-tech product – an innovation in the field of microfiber production technology. It is used for the care of passenger vehicles, in auto repair shops, industrial enterprises and in everyday life. Properties: Thanks to its structure consisting of microfibers with many air cavities, it effectively removes any dirt without the use of synthetic detergents. Cleans in dry and wet conditions.

GLASS CLEANERS & CARE PRODUCTS

Our glass care range provides streak-free cleaning, effective anti-fog protection and long-lasting water repellency for all vehicle glass surfaces, helping ensure clear visibility and safer driving in all weather conditions.



5022 SCHEIBEN-REINIGER 1:100

Summer Windscreen Washer Fluid Concentrate

Volume:

250ml MN5022

PCS/CTN: 250ml x 24

Highly efficient super-concentrated summer windscreen cleaner for use in the wiper fluid tank.

Properties: Effectively removes dirt, insects, oil stains, silicone film and other heavy dirt from windows and headlights. Quickly provides transparency of the windscreen, increasing driving safety. Has a pleasant citrus smell. Does not leave stains and streaks on the glass. Free of phosphates, biologically neutral. Chemically neutral to rubbers, plastics and paint coatings.



5024 SCHEIBEN-REINIGER -70 °C

Windshield Cleaner Super Concentrate

Volume:

1L MN5024

PCS/CTN: 1L x 12



Highly efficient concentrated winter windscreen cleaner for use in the wiper fluid tank. Properties: Effectively removes dirt, road de-icing agents, oil stains, silicone film and other heavy dirt from windows and headlights. Guaranteed to remove ice down to -70 °C. Quickly and easily provides transparency of the windscreen, increasing driving safety. Suitable for all types of windscreens: Triplex, Securiflex, etc. with or without heating, as well as for rear and side windows (tempered glass) and headlights made of any material.



9974 GLASS CLEANER

Glass Cleaner

Volume:

600ml MN9974

PCS/CTN: 600ml x 9

Effective cleaner for windshields, windows, mirrors and headlights. Removes dirt, fingerprints and road film without leaving streaks. Safe for rubber seals and suitable for plastic surfaces.

Application: Spray onto the surface and wipe clean with a soft cloth or microfiber cloth.

9908 DEFROSTER

De-Icer for Glass Surfaces

Volume:

450ml MN9908

PCS/CTN: 450ml x 24



Highly efficient defroster for exterior elements of cars and other vehicles. Quickly and efficiently removes snow and ice from windcreens, headlights, wiper blades, washer nozzles, rear and side windows. Suitable for defrosting locks, car doors, trunk lids, etc. Properties: effectively removes dirt, road de-icing agents, oil stains, silicone film and other heavy dirt from windows and headlights. Gives the treated surfaces anti-icing properties. Quickly and easily ensures transparency of the windscreen, providing the driver with clear visibility and improving driving safety.



PARTS CLEANERS & RUST REMOVERS

These products provide fast, residue-free degreasing and effective rust removal. They are specially formulated to help extend component service life and support efficient workshop operations.



9691 BRAKE CLEANER

Brake Cleaner

Volume:

20L MN9691

60L MN9691

PCS/CTN: 20L x 1; 60L x 1



A blend of solvents for degreasing and cleaning metal parts. Developed as an effective means for cleaning and degreasing brake drums, discs, pads, shoes, cylinders, and clutch parts. Provides fast and effective removal of dirt, dust, grease, and brake fluid. Dries quickly and leaves no residue.

Properties: Removes brake fluid, oil, resin, grease, and other contaminants. Cleans without disassembly. Eliminates brake squeal and clutch slippage caused by dirt and glazing. Dries quickly without leaving any traces.



9692 BRAKE CLEANER

Brake Cleaner

Volume:

450ml MN9692

PCS/CTN: 450ml x 24



Special cleaner for all separate parts in the motor vehicle and industrial sectors. It has excellent cleaning properties and is applicable to brake shoes and discs. It removes soiling, oil, grease, brake fluid, other petrochemicals and burnt technical fluids.

Properties: Contains acetone. Does not attack car paint. Does not attack O-rings and brake hoses. High dissolving capacity. Does not leave residues. Strong degreasing effect and water displacement. Mechanical cleaning with a concentrated spray jet. Does not contain chlorinated hydrocarbon. Very fast flash off without residues.

9670/9672 MONTAGE CLEANER

Assembly and Parts Cleaner

Volume:

500ml MN9670

600ml MN9672

PCS/CTN: 500ml x 24; 600ml x 24



Special high-performance cleaner for metal car parts.

Properties: Suitable for parts made of any metals and alloys; has excellent cleaning properties. Applicable to brake pads and discs, clutch and transmission parts, tools, etc. Removes dirt, grease, oil and other petroleum products, brake fluid, residues of burnt and evaporated technical fluids. Facilitates disassembly and installation of parts, saves time for disassembly, reduces the effort applied when disassembling and dismantling components and parts during car repairs. Suitable for cleaning vehicle bodies, oil filters, motorcycle chains and timing chains.

9973 MOTOR CLEANER

Motor Cleaner

Volume:

600ml MN9973

PCS/CTN: 600ml x 9



Motor Cleaner is made for removing oil, grease stains and other road dirt from the engine, engine parts and tools. Fast-acting formula.

Application: Spray evenly onto a cool surface, leave for 3–5 minutes, agitate with a brush or sponge if necessary, then rinse thoroughly with water. Do not allow the product to dry on the surface. Before use, try the effect of the agent on a small area in order to determine a possible reaction of the material.



9671 MOTOR KALTREINIGER

Engine Compartment Cleaner

Volume:

450ml MN9671

PCS/CTN: 450ml x 24



Highly effective detergent for cleaning and maintenance of the engine compartment of the car. Quickly, efficiently and carefully removes any contamination of the engine compartment: oil, residues of evaporated and burnt technical fluids, road dirt and dust, road reagents, etc. Softens and dissolves the most difficult to remove and old dirt. Properties: Active foam stays on vertical surfaces for a long time, providing excellent cleaning of complex dirt in all dimensions. Neutral in relation to plastic, rubber, paint coatings, chrome, nickel, zinc, etc., as well as to the surfaces of ferrous and non-ferrous (aluminum, bronze, brass, etc.) metals and alloys.

9970/9770 CARBURETOR CLEANER

Carburetor Body Cleaner

Volume:

400ml MN9970
600ml MN9770

PCS/CTN: 400ml x 24; 600ml x 24



Highly effective carburetor cleaner without dismantling it. Quickly, carefully and effectively cleans throttle and air dampers, diffusers, jets and all other available internal surfaces of carburetors, as well as their external surfaces. Applicable to all two- or four-stroke petrol engines, with or without catalytic converters.
Properties: It is a mixture of highly effective organic solvents. Does not contain acetone. Completely dissolves and removes all typical carburetor contaminants of various origins. Applicable for cleaning motorcycle chains, timing chains, clutch parts, oil pumps, gears, crankshafts and other unpainted metal components and engine parts.

9873 INTAKE VALVE CLEANER

EGR & Throttle Body Cleaner

Volume:

400ml MN9873

PCS/CTN: 400ml x 24



Highly effective tool for cleaning the intake system of petrol engines up to the intake valves and in the most inaccessible places from all the typical dirt without disassembling the system. In most cases, a single application is sufficient to bring the intake system to perfect condition.
As the idling valve (IAC) is operating, deposits gradually accumulate on it, which ultimately affects the circulation of air and gases. This reduces engine power and acceleration, disrupts the smoothness of idling and significantly increases fuel consumption.
Properties: Quickly, effectively and carefully removes dirt, soot, carbon, resinous and oil deposits and other most difficult to remove and old dirt.



9893 CONTACT CLEANER

Electrical Contact Cleaner Spray

Volume:

450ml MN9893

PCS/CTN: 450ml x 12



Special cleaning agent for fast and effective cleaning and degreasing of dirty and rusted electrical contacts of all types.
Ideal for: cleaning of electrical blocks and contacts, electronic circuit boards and terminal blocks, lamp bases, cable lines, communication relays, interrupters, ignition distributors, starters, generators, fuses, etc. in cars, and plug sockets, clamps, electrical distribution devices, battery contacts in industry and everyday life, also audio and video equipment, and office and commercial electrical equipment – cash registers, electronic scales etc.

M-40 LUBRICANT



9895/9898/9892/9940/9899

M-40 LUBRICANT

Multifunction Lubricant

Volume:

100ml MN9895 200ml MN9898 400ml MN9892
400ml MN9940 450ml MN9899

PCS/CTN: 100ml x 28; 200ml x 24; 400ml x 12; 400ml x 24; 450ml x 24



Universal (penetrating, cleaning, anticorrosive, moisture-displacing, anti-squeaking, etc.) aerosol lubricant. It has unique lubricating and protective properties and a wide range of applications. Ideal for professional and home use. It is a highly effective mixture of fast-penetrating active solvents and oils.

Properties: Has excellent cleaning properties. Cleans and easily removes grease, dirt, bituminous stains, glue residues, etc. from most surfaces, forming a protective layer. Covers the surface, preventing the appearance of moisture even in the micro-roughness of the metal. Has good lubricating properties, reduces friction, ensuring smooth running of joints and other moving parts of mechanisms, while not leaving greasy and sticky traces. It is a dielectric, thus protecting electrical equipment, preventing short circuits and current leaks. Does not contain silicone.

7904 CHAIN CLEANER

Chain Cleaner

Volume:

400ml MN7904

PCS/CTN: 400ml x 24



Cleaner of driving chains of motor vehicles and their individual parts in aerosol form. Suitable for all types of chains (O-ring, X-ring, W-ring).

Properties: Due to the high content of active substances, it quickly, effectively and carefully cleans and degreases chains from old grease, dirt, dust, sand and other road contaminants. Specially selected solvents effectively dissolve and clean the old dried and hardened residues of petroleum products in the form of resin and varnish. Has excellent solvent properties and easily penetrates all gaps in the chain. Quickly and completely evaporates without damaging the oil seals.

7901 CHAIN LUBE

Fully Synthetic White Grease Chain Spray

Volume:

200ml MN7901

PCS/CTN: 200ml x 24

Fully synthetic white lubricant in the form of an aerosol for high-load and high-speed drive chains of motorcycles, ATVs, scooters and other motor vehicles, as well as bicycles. Suitable for all types of chains (O-ring, X-ring, W-ring).

Properties: Has increased stickiness and holds well on the fastest moving chains under the action of centrifugal forces, providing reliable lubrication in all modes. Unique additive package and contains micro-ceramic elements – friction modifiers provide excellent anti-friction and anti-wear properties.



9932 RUST DISSOLVER

Rust-Dissolving Molybdenum Disulfide Solution

Volume:

450ml MN9932

PCS/CTN: 450ml x 24



Fast-penetrating and fast-acting rust dissolving and removing agent with excellent anti-friction and water-repellent properties. It allows you to quickly and safely mount and dismantle hardware of all types, and lubricates and protects various movable joints from corrosion: door locks and hinges, levers for driving carburettor dampers, telescopic antennae, fasteners for body and chassis elements, etc.

Properties: Thanks to the presence of fast-penetrating solvents in its composition, it instantly frees threaded connections from rust, oxides and dirt, which greatly facilitates their dismantling. Has good anti-corrosion properties, prevents formation of rust and oxides in the future. Forms a strong waterproof and heat-resistant protective coating.



9694 DPF FOAM CLEANER

Diesel Particulate Filter Foam Cleaner

Volume:

500ml MN9694

PCS/CTN: 500ml x 12

Professional tool for cleaning and restoring the efficiency of diesel particulate filters (DPF) without dismantling them. Suitable for all diesel engines, both naturally aspirated and turbocharged, equipped with these filters. Applicable for diesel engines equipped and not equipped with automatic regeneration systems for diesel particulate filters. Suitable for all DPF.

Properties: Starts the process of regeneration of the particulate filter. Promotes complete burning of accumulated soot, loosening it and acting as a combustion catalyst. Especially effective for vehicles operating in urban mode and in the cold season. Restores the full capacity of the particulate filter.

9995 DPF REGENERATOR &

Diesel Particulate Filter Cleaning Concentrate

9996 FLUSH FLUID

Diesel Particulate Filter Flushing Solution

Volume:

1L MN9995

1L MN9996

PCS/CTN: 1L + 1L x 8



Professional set of tools for gentle cleaning and restoring the efficiency of diesel particulate filters (DPF) without dismantling them. Suitable for all diesel engines, both naturally aspirated and turbocharged, equipped with these systems. Applicable for diesel engines equipped and not equipped with automatic regeneration systems for diesel particulate filters. Suitable for all DPF. The product is applied to the particulate filter using a sprayer with a compressor.


9201 CATALYTIC SYSTEM CLEANER

Exhaust & Fuel System Cleaner

Volume:

500ml MN9201

PCS/CTN: 500ml x 12



Professional tool for cleaning and restoring the efficiency of catalytic converters. Suitable for all gasoline engines, both naturally aspirated and turbocharged, equipped with these systems. It also allows you to clean the power supply system and fuel injection devices of a gasoline engine from all typical contaminants without disassembly.

Properties: Cleans valves, piston rings, working surface - catalytic converter cells, exhaust system from carbon deposits, tar and other deposits. Removes carbon deposits from the walls of the combustion chamber and from the grooves of the piston rings, preventing their occurrence.

9964 AIR FILTER OIL

Sport Air Filter Oil

Volume:

250ml MN9964

PCS/CTN: 200ml x 24



Special ultra-sticky impregnation for low-resistance air filters (HIGH-FLOW AIR FILTER)—in common language use, “zero-it” or “zero-resistance filters”. It is suitable for use in all 2-stroke and 4-stroke motorcycles and scooters with air- and water-cooled engines, as well as in any other equipment in which such filters are installed normally or as tuning details.

Properties: Provides maximum air supply, increasing engine power. Reliably holds dust, dirt and sand in the most extreme conditions. Reduces wear and extends the oil change interval. Eliminates engine damage caused by contamination, extends its life and reduces maintenance and repair costs.

9897 BELT TENSIONER

Belt Conditioner Cleaner

Volume:

200ml MN9897

PCS/CTN: 200ml x 24

Means for care of driving belts: quickly, safely and effectively eliminates extraneous sounds (creaking, whistling, etc.) and slipping of belts, cleans them of dirt, removes traces of oils, restores elasticity and protects against drying and cracking. It is used for drive belts of alternators, air conditioners, power steering and other units.

Properties: Reduces wear on belts and pulleys, prevents their aging, thereby extending their service life. Increases the efficiency of the belt drive. Reduces noise during operation of the engine.



GLUES

MANNOL glues provide strong, durable bonds for a wide range of materials, from everyday repairs to demanding industrial applications. Fast-curing, solvent-resistant and engineered for demanding automotive applications, these adhesives deliver reliable performance under challenging conditions.



9924/9925 FIX-GEWINDE MITTELFEST

Thread Locker Medium Strength

Volume:

10ml MN9924

50ml MN9925

PCS/CTN: 10ml x 144; 50ml x 144



Tool for fixing all types of threads (medium fixation): bolts, nuts, studs, screws, etc. Prevents self-unscrewing of fasteners due to increased loads and vibration. Suitable for all threaded connections in all parts of cars, motorcycles, commercial vehicles as well as in industry and everyday life. It can be used for sealing threads, narrow gaps and as an anti-corrosion agent.

Properties: Prevents loosening and firmly fixes metal threaded connections up to and including M36 in diameter. Withstands heavy loads and vibrations: applicable in engines, transmissions, gearboxes. For M10 threads, it can withstand up to 20 N•m of torque. Operating temperature range from -55 °C to +150 °C.



9926/9927 FIX-GEWINDE HOCHFEST

Thread Locker High Strength

Volume:

50ml MN9926

10ml MN9927

PCS/CTN: 10ml x 144; 50ml x 144



Tool for fixing all types of threads (strong fixation): bolts, nuts, studs, screws, etc. Prevents self-unscrewing of fasteners due to increased loads and vibration. Suitable for all threaded connections in all parts of cars, motorcycles, commercial vehicles as well as in industry and everyday life. It can be used for sealing threads, narrow gaps and as an anti-corrosion agent.

Properties: Prevents loosening and firmly fixes metal threaded connections up to and including M20 in diameter. Completely fills the thread gaps, seals it, preventing leakage of oil, water, fuel, technical fluids and air, as well as corrosion. For M10 threads, it can withstand up to 38 N•m of torque. Operating temperature range from -60 °C to +150 °C.

9904 EPOXY-PLASTIC

High-strength 2-components Adhesive for Plastic Parts

Volume:

30g (24ml) MN9904

PCS/CTN: 30g (24ml) x 144



Two-component adhesive based on epoxy resin. Quickly and extremely firmly glues all types of plastic parts – bumpers, headlights, spoilers, etc. – or glues them to surfaces made of any metal and alloys, as well as to glass, ceramics, concrete, wood, etc. Thanks to its transparent matte structure, it is ideal for rapid repairs for a long period, for example, for sealing cracks and incorrectly drilled holes, small cavities on surfaces of any shape and restoring damaged threads. Hardens within 5 minutes at room temperature. It polymerises up to 80 % within 30 minutes. Final curing takes place within 2–3 hours, the compound acquires a high mechanical shear strength (3–5 N / mm²) and can withstand temperatures up to +150 °C.

9905 EPOXY-METAL

High-strength 2-components Adhesive for Metal Parts

Volume:

30g (24ml) MN9905

PCS/CTN: 30g (24ml) x 144

Two-component adhesive based on epoxy resin. Quickly and reliably glues parts made of any metals and alloys (steel, cast iron, aluminium, copper, brass, bronze, magnesium, etc.) in any combination. Ideal for rapid repairs with long-term effect, for example, for sealing cracks and cavities on surfaces of any shape and restoring damaged threads, both internal and external. It can be used both in the repair of cars and other equipment and in industry, at home, in the office. Hardens within 4 minutes. Final curing takes place within 2–3 hours, the compound acquires a high mechanical shear strength (3–5 N/mm²) and can withstand temperatures up to +150 °C.



9918 2K-PUR

2-components-polyurethane Adhesive Repair-Material for Plastic Parts

Volume:

30g (24ml) MN9918

PCS/CTN: 30g (24ml) x 144



Two-component polyurethane adhesive for reliable bonding and cosmetic repair of various surfaces and parts. Quickly and reliably glues parts made of any plastics and any metals and alloys in any combination. Suitable for concrete, stone and wood. Ideal for rapid repairs with long-term effect, for example, for sealing cracks and cavities on surfaces of any shape. It can be used for car and other equipment repairs, as well as in industry, at home and in the office.

Properties: Cures completely in 20-30 minutes at room temperature, after which any mechanical processing is possible. After curing it has exceptional elasticity and high durability, which it retains for a long time.

9822 SUPER GLUE GEL

Super Glue Gel

Volume:

3g MN9822

PCS/CTN: 3g x 288



Glue is designed for instant and extremely strong bonding of all types of plastics, ceramics, china, glass goods, metals, polyvinyl chloride, vinyl, wood, paper, cement, leather and marble as well as their compounds.



9922 SUPER GLUE

Super Glue

Volume:

3g MN9922

PCS/CTN: 3g x 288

Ultra-fast adhesive that creates a strong, durable, long-lasting bond. Quick and easy to apply. Works well both on non-porous materials such as metal, plastic, rubber and vinyl as well as on paper, wood and textile.



9910 WINDSHIELD SEALANT

Polyurethane Adhesive Sealant for Windshield

Volume:

310ml MN9910

PCS/CTN: 310ml x 40



One-component polyurethane adhesive sealer for pasting windcreens where an increased safety guarantee is not required. It is used for fixing the front, rear and side windows to the bodies of cars, vans, railway transport and special purpose vehicles. The best results are achieved when using an air gun.

Meets the requirements (specification) of Loctite TEROSON PU 8597 HMLC. The minimum ready time is 1 hour after application, according to FMVSS (USA), and 4 hours according to the most stringent European crash test standard.

Properties: Suitable for applying to the opening of the windscreen made of any material, including aluminum.

9928 EPOXIDKITT STAHL + METALL

Two-Component Adhesive Material for Quick Repair of Metal Parts



Volume:
56g MN9928

PCS/CTN: 56g x 144

Two-component super-putty based on epoxy resin for quick repairs with a long-lasting effect. Fills holes, scratches, cracks, cavities and dents. Easily mixed by hand, takes any shape. Designed to repair surfaces made of any metals and alloys and any plastics. It can be used to eliminate leaks in the fuel tank, radiator, oil pan, barrels, pipes, etc. Retains its properties up to +260 °C.



Properties:
Excellent chemical and mechanical resistance.
Hardens quickly under all conditions, even under water.
Does not contain asbestos and is an electrical insulator.

9934 REARVIEW MIRROR ADHESIVE

Rearview Mirror And Triangle Window Lock Adhesive

Volume:
Set 0,6ml MN9934



PCS/CTN: Set 0,6ml x 144

Set with glue designed specifically for gluing metal plates of rear-view mirror mounts to the windscreen as well as for gluing various metal parts (hinges, locks, fasteners, etc.) to the side windows and windows of the car. At the same time, it is also suitable for gluing any metal and plastic parts in everyday life and in various industries (furniture, for example). It can be used for all car brands. It is irreplaceable and effective for planned and emergency repairs, modernisation and interior decoration of vehicles, watercraft, motorcycles, sports equipment, etc. It can be used for gluing antennas and linings to the body.

Properties: Highly stable-resistant to high loads, vibration, strong temperature changes and UV radiation. Hardens quickly and holds perfectly.



9801 HEADLIGHT POLISH RESTORATION SYSTEM

Polishing Kit for Plastic Headlights

PCS/CTN: set x 42

Headlight Polish-professional set for polishing damaged plastic glasses of all types and purposes. Designed specifically for manual and mechanical polishing of scratched, clouded or yellowed plastic headlights and other lighting devices without dismantling them, as well as windshields of motor vehicles and small vessels and motorcycle helmet windows. Properties: Easy and fast application. On average, it takes 30 minutes to process a single headlight. Allows you to achieve an ideal degree of surface polishing. Restores the brightness of the headlights, increasing visibility and driving up safety and gives the car a more attractive appearance.



The Kit Includes:

- 1 PC Self - Locking Sanding Disc
- 2 PCs..... Grinding Wheel 2000
- 2 PCs..... Grinding Wheel 1200
- 2 PCs..... Grinding Wheel 800
- 1 PC Adhesive Tape 3000 X 20 mm
- 2 PCs..... Sanding Paste 40 G
- 1 PC Polishing Sponge (orange)
- 1 PC Sponge For Finishing Polishing (white)
- 2 PCs..... Nano-sealant That Protects Against UV Rays (7.5 ml)



9804 WINDSHIELD REPAIR KIT

Restoration System

PCS/CTN: set x 72

Professional set for restoring windshields. Unlike other similar products, it does not require ultraviolet radiation. The principle of the kit is to remove air from chips and cracks, and fill them with a strong resin, which makes the treated area of the glass even stronger than before. To achieve the best results, you should make repairs as soon as possible after the damage. Before the chipped or cracked area is contaminated.

Properties: Minimizes the risk of cracks after a pothole or chip on the windscreen is cured and helps prevent them from spreading further. High-quality repair resin of extremely low viscosity reliably fills even the smallest cracks. Allows you to restore the windshield within 30-50 minutes.

The kit includes:

- Repair Resin..... 1 PC
- Adhesive Disk..... 3 PCs
- Red Mushroom Shaped Base.... 1 PC
- Thermoplastics 5 PCs
- Scraper With a Blade 1 PC
- Syringe With Spring Clip..... 1 PC
- Cleaning Cloth 1 PC
- Red Button..... 1 PC
- Black O-ring 2 PCs





SILICONE

GASKET MAKERS

MANNOL gasket makers create durable, leak-proof seals for a wide range of automotive applications. Resistant to high temperatures, engine oils, transmission fluids, coolants, water and fuels, they replace conventional gaskets and provide long-lasting sealing performance under demanding operating conditions.

MANNOL®

9911 RTV GASKET MAKER GRAY

Gray Neutral Silicone Sealant

Volume:

85g MN9911

PCS/CTN: 85g x 144



High-quality one-component silicone sealant that hardens at room temperature. It has excellent resistance to low and high temperatures and does not lose plasticity throughout its life. Provides reliable waterproof insulation. Resistant to lubricants, antifreeze, water and fuel. Resistant on bending surfaces. Replaces asbestos, rubber, paper, cork and metal seals.

It can be effectively used to repair the following components: water pumps, oil pump flanges, thermostat housings, oil pans, transmissions, etc.

Operating temperature range from -40 °C to +230 °C (intermittently).



9912 GASKET MAKER BLACK

Black Silicone Sealant

Volume:

85g MN9912

310g MN9912-031

PCS/CTN: 85g x 144; 310ml x 24



Sealant that hardens at room temperature. Extremely resistant to high temperatures. Creates a reliable seal that does not crack, shrink or shift under the influence of sudden temperature changes. Replaces O-rings and washers as well as asbestos, rubber, felt, paper, cork and metal seals. It can be effectively used for repair of valve guide bushings, oil pans, thermostat housings, etc. Resistant to lubricants, coolants, petrol, kerosene, water, acids and alkalis. Easy to apply and remains flexible.

Operating temperature range: from -40 °C up to +230 °C (intermittent).



9913 GASKET MAKER GRAY

Gray Silicone Sealant

Volume:

85g MN9913

PCS/CTN: 85g x 144



Sealant that hardens at room temperature. Resistant to extreme temperatures. Creates a reliable seal that does not crack, shrink or shift under the influence of sudden temperature changes. Replaces O-rings and washers as well as asbestos, rubber, felt, paper, cork and metal seals. It can be effectively used for repair of valve guide bushings, oil pans, thermostat housings, etc. Resistant to lubricants, coolants, petrol, kerosene, water, acids and alkalis. Easy to apply and remains flexible.

Operating temperature range: -40 °C to +230 °C.

9914 GASKET MAKER RED

Red Silicone Sealant

Volume:

85g MN9914
310g MN9914-031

PCS/CTN: 85g x 144; 310ml x 24



Sealant that hardens at room temperature. Resistant to extreme temperatures. Creates a reliable seal that does not crack, shrink or shift under the influence of sudden temperature changes. Replaces O-rings and washers as well as asbestos, rubber, felt, paper, cork and metal seals. It can be effectively used for repair of valve guide bushings, oil pans, thermostat housings, etc. Resistant to lubricants, coolants, petrol, kerosene, water, acids and alkalis. Easy to apply and remains flexible. Operating temperature range: from -50 °C up to +300 °C.

9915 RTV ADHESIVE SEALANT BLUE

Blue Super Flexible Silicone

Volume:

85g MN9915

PCS/CTN: 85g x 144

Sealant that hardens at room temperature. Resistant to extreme temperatures. Creates a reliable seal that does not crack, shrink or shift under the influence of sudden temperature changes. Replaces O-rings and washers as well as asbestos, rubber, felt, paper, cork and metal seals. It can be effectively used for repair of valve guide bushings, oil pans, thermostat housings, pipes, hoses and other flexible connections. Resistant to lubricants, coolants, petrol, kerosene, water, acids and alkalis. Easy to apply and remains flexible. Operating temperature range: -40 °C to + 230 °C.



9916 GASKET MAKER TRANSPARENT

Transparent Silicone Sealant

Volume:

85g MN9916

PCS/CTN: 85g x 144



High-quality one-component sealant that hardens at room temperature. It has excellent adhesive and binding properties. Suitable for bonding and sealing vehicle windscreens, headlights, indicators, brake lights, etc. Replaces rubber, paper and cork seals. Resistant to lubricants, coolants, water and sun. It is used for working with glass, plastic, ceramics and aluminium. It is easy to apply and remains flexible. After applying to the non-greased surface, it is smoothed and levelled with soapy water. After 24 hours, the connection may be exposed to loads. The operating temperature of this product is -40 °C to +180 °C (short-term).

TAPES

The MANNOL tape range is designed for reliable sealing, insulation and quick repairs in demanding environments. Durable and resistant to heat, moisture, pressure and vibration, these tapes deliver dependable performance in automotive, industrial and household applications.

9617 THREAD SEAL TAPE

PTFE-Thread Seal Tape

Length:

1pc (15m) MN9617

PCS/CTN: 1pc x 250

Universal PTFE tape for sealing threaded connections ("foam tape") of any material (metal and plastic, etc.). It can be used both in the repair of cars and other equipment and in industry as well as everyday life when installing and repairing plumbing units and gas pipes.

Properties: Length/width/thickness – 15 m / 19 mm / 0.075 mm.



9717 BANDAGE TAPE

Polyester Fabric Tape for Bandaging Cable Harnesses

Length:

1pc (25mm x 10m) MN9717

PCS/CTN: 1pc x 60



Wide universal insulation tape based on polyester fabric. Designed specifically for the manufacture of cable harnesses in the car and in its engine compartment – oil and petrol resistant. It can be used both in the repair of cars and other equipment and in industry as well as everyday life during electrical work. Ideal for isolating any electrical connections.

Properties: Length/width – 10 m / 25 mm.



9817 INSULATING TAPE

Insulating Tape for Various Applications And Repairs

Length:

1pc (19mm x 10m) MN9817

PCS/CTN: 1pc x 60

Universal insulation tape based on polyester fabric. Designed specifically for the manufacture of cable harnesses in the car and in its engine compartment – oil and petrol resistant. It can be used both in the repair of cars and other equipment and in industry as well as everyday life during electrical work. Ideal for isolating any electrical connections.

Properties: Length/width – 10 m / 19 mm.




9917 MULTITAPE

Self Welding Insulation And Repair Tape

Length:

1pc (5m) MN9917

PCS/CTN: 1pc x 60



Self-adhesive tape without an adhesive layer – polymerises when wound and stretched. Creates a seamless, dense and durable airproof and waterproof layer bandage, “sintering” into a homogeneous mass. It is used for effective insulation and corrosion protection of metal components of automotive, construction and agricultural machinery operating under pressure, at high temperatures and in a humid and aggressive environment, as well as in industry and everyday life. It allows you to quickly eliminate leaks from fuel, water and air pipes. It can be applied to extreme conditions for temporary use, leaving no trace after removal.

Properties: Tape length - 5 m.

ROADSIDE ASSISTANCE EQUIPMENT

MANNOL roadside products help restore mobility in emergency situations. Compact and easy to use, they support cold engine starts and quickly and effectively seal minor tyre punctures.



9669 MOTOR STARTER

Engine Starting Fluid

Volume:

450ml MN9669

PCS/CTN: 450ml x 12

Special aerosol product designed to facilitate the start of diesel (including with pump injectors and common rail system) and petrol (injection and carburetor), both two- and four-stroke, engines of passenger cars, trucks, construction and agricultural machinery, motorcycles, mopeds, ATVs, snowmobiles, chainsaws, petrol-powered tools and garden equipment, as well as marine and boat engines of all types, compressor engines and generators. Provides fast and reliable start-up in winter, even in extreme cold or high humidity, with wet spark plugs, irregular fuel supply or a dead battery.

Properties: Contains special lubricating additives that exclude wear and micro-pressure of the cylinder-piston group when starting the engine.



9906 REIFEN DOCTOR

Tire Repair Spray

Length:

450ml MN9906

PCS/CTN: 450ml x 12



Special spray tool for emergency repair of punctures of chamber and tubeless tires on cast and stamped wheels without dismantling them. The resulting foam quickly and reliably seals punctures and leaks of all types up to 5 mm in diameter by creating a long-lasting self-vulcanizing film when interacting with air. Applicable to all tire sizes of passenger cars, light trucks and trailers.

Properties: Remains in the tire in the active state for a long time and prevents the occurrence of air leaks in the future, including repeated punctures.

SCAN THE QR CODE
FIND PRODUCTS SUITABLE FOR YOUR VEHICLE



MANNOL[®]

PROFESSIONALS IN LUBRICANTS

MANNOL offers far more than automotive additives and car care products. Our comprehensive lubricant portfolio includes high-performance engine oils for passenger cars, commercial vehicles, motorcycles, outboard engines, agricultural machinery, marine applications and industrial equipment. Available in synthetic, semi-synthetic and mineral formulations, MANNOL lubricants are developed to meet the requirements of modern engines and demanding operating conditions, ensuring reliable protection, optimum performance and long service life.

www.mannol.de



SCAN THE QR CODE

SCAN TO DISCOVER THE MANNOL PRODUCT RANGE



SCT-Vertriebs GmbH
Feldstrasse 154
22880 Wedel/Hamburg
Germany

Tel.: +49 (0)4103 1211 0
E-mail: info@sct-germany.de
www.mannol.de